

# SOLID WASTE FACILITY PERMIT

1. Facility/Permit Number:  
**48-AA-0075**

2. Name and Street Address of Facility:

**POTRERO HILLS LANDFILL**  
3675 Potrero Hills Lane  
Suisun, CA 94585

3. Name & Mailing Address of Operator:

**POTRERO HILLS LANDFILL INC**  
P.O. Box 68  
Fairfield, CA 94533  
Contact: Mr. Larry Burch, P.E.

4. Name and Mailing Address of Owner:

**POTRERO HILLS LANDFILL INC**  
P.O. Box 68  
Fairfield, CA 94533

5. Specification: a. Permitted Operations: ☒ Landfill Disposal Site ☐ Processing Facility  
☐ Transfer Station ☐ Transformation Facility  
☐ Composting Facility ☐ Other:  
☐ Material Recovery Facility

b. Permitted Hours of Operations:

Monday – Friday: 24 hour operations

Saturday & Sunday: 20 hour operations – Closed from 12 AM – 4 AM

General public: Monday – Friday, 8:30 AM – 4:00 PM; and Saturday – Sunday, 9:00 AM – 4:00 PM

Closed on 5 holidays: New Year's Day, 4<sup>th</sup> of July, Labor Day, Thanksgiving, Christmas Day.

c. Permitted Tons per Operating Day:

Total: **3,400 tpd** (Daily disposed tonnage averaged over 7-day week. 7 day week means any consecutive 7 day period)

Daily Peak Tonnage: **4,330 tpd (disposed only)**

Non-hazardous – General ..... See Section 17 B.1

Hazardous Asbestos ..... Not allowed

Designated Waste ..... See section 17 B.27

Sludge ..... Maximum 250 TPD for disposal if exceeds 50% moisture

d. Permitted Traffic Volume:

Total: **500 Vehicles/Day inbound (averaged over 7-day week) total combined traffic for landfill and compost facility**

Daily Peak traffic: **1,000 Vehicles/Day inbound total combined traffic for landfill and compost facility**

e. Key Design Parameters (Detailed parameters are shown on site plans bearing LEA and CIWMB validations):

	Total	Disposal footprint	Transfer Station	MRF	Composting	Transformation
Permitted Area	320	190 acres				
Total Refuse Capacity		21,500,000 cubic yard				
Max. Elevation (Ft. MSL)		220				
Max. Depth of Refuse (Ft.)		130				
Estimated Closure Date		June 2011				

The permit is granted solely to the operator named above, and is not transferable. Upon a change of operator, this permit is no longer valid. Further, upon a significant change in design or operation from the described herein, this permit is subject to revocation or suspension. The attached permit findings and conditions are integral parts of this permit and supersede the conditions of any previous issued solid waste facility permits.

6. Approval:

**Birgitta Corsello, Director**

Solano County Environmental Management Department  
Approving Officer Signature

7. Enforcement Agency Name & Address:

**Solano County LEA**  
**Resource Management Department**  
**675 Texas Street, Suite 5500**  
**Fairfield, CA 94533**

8. Received by CIWMB:

9. CIWMB Concurrence Date:

10. Permit Review Due Date:

11. Permit issued Date:

# SOLID WASTE FACILITY PERMIT

Facility/Permit Number:

**48-AA-0075****12. Legal Description of Facility (attach map with RCSI):**

The legal description for the Potrero Hills Landfill is Township 4N. Range 1W. Mount Diablo Basin & Meridian; Solano County Assessor's Parcel No. 0046-130-220

**13. Findings:**

- a. This permit is consistent with the latest Solano County Integrated Waste Management Plan, revised November 1995, amended and approved by the CIWMB.
- b. The location of the facility is identified in the Solano Countywide Siting Element and Non-disposal Facility Element, pursuant to Public Resources Code (PRC), Section 50001(a).
- c. This permit is consistent with the standards adopted by the CIWMB, pursuant to PRC 44010. Ongoing diversion programs to recover materials from the waste stream at the landfill include the diversion and recovery of yard wastes (composting program), metals, concrete and asphalt, biosolids sludge and residues, water treatment sludge and residues, treated auto shredded waste (TASW).
- d. The design and operation of the facility is consistent with the State Minimum Standards for Handling and Disposal as determined by the Enforcement Agency, pursuant to PRC 44009.
- e. The facility is in conformance with applicable fire protection standards as determined by the local fire protection district, in conformance with PRC Section 44151.
- f. Environmental Determination: The following documents have been prepared, processed and certified pursuant to the California Environmental Quality Act of 1970, as amended:
  - i) Draft and Final Solano Garbage Company Landfill/Potrero Hills Landfill, Inc. Landfill Combined Environmental Impact Report. Jones & Stokes Associates, Inc. October 26, 1995 with responses dated April 16, 1996; certified on May 16, 1996 by the Solano County Planning Commission; State Clearinghouse No. 93033012.
  - ii) Draft and Final Potrero Hills Expansion Project Environmental Impact Report. EDAW, Inc., certified by the Solano County Board of Supervisors on September 13, 2005, State Clearinghouse No. 2003032112.
- g. This facility is designated as a solid waste site in the Land Use and Circulation Element of the Solano County General Plan and the site and surrounding land use is compatible with the facility operation (PRC Section 50000.5(a) & (b). The Land Use and Circulation Element was adopted on 25 August 1992 with subsequent amendments.
- h. Conformance with Solano County Marsh Protection Program:
  - i) The facility is governed by the policies and regulations in the Suisun Marsh Local Protection Program (LPP). The project site and vicinity are within the Suisun Marsh upland habitat secondary area. The designation limits land use to agriculture. However, siting of a landfill in the Potrero Hills Secondary Marsh area is specifically allowed by the LPP provided that construction and operation of such facilities will not have significant adverse ecological or aesthetic impacts on the marsh.
  - ii) The proposed changes in the operation of the facility will not have significant adverse ecological or aesthetic impacts on the marsh that cannot be mitigated to less than significant as determined in the Draft and Final Potrero Hills Expansion Project Environmental Impact Report, certified September 13, 2005 (report referenced in Section 13(f)). Implementation of the daily landfill operations proposed must comply with the Suisun Marsh LPP.

The operator has made proper notification to, and cooperates with Travis Air Force Base regarding the bird control program in conformance with 27 CCR Sections 20270 and 21600(b)(3)(A).

**14. Prohibitions:**

- a. The permittee is prohibited from accepting the following wastes at the site: Hazardous, infectious, friable asbestos or other wastes requiring special treatment or handling, except as described under the Waste Discharge Requirement (WDR Order No. 93-072 and subsequent revisions) and as described in the August 2006 Updated October 2006 Joint Technical Document (JTD).
- b. No regulated radioactive materials by the CA Department of Health Services – Radiological Health Branch will be allowed for disposal
- c. New operations may not begin without prior submittal of amendments to the August 2006 Updated October 2006 JTD, appropriate permit revision and modifications, and written approvals are received from the LEA, CIWMB, RWQCB San Francisco Bay Region, San Francisco Bay Air Quality Management District, San Francisco Bay Conservation and Development Commission (BCDC), Suisun Fire District, or other appropriate agencies.
- d. Any handling or disposal of solid wastes which fails to adequately protect the environment or public health and safety may be prohibited by this permit in order to mitigate adverse environmental and public health impacts.
- e. Scavenging is not permitted by customers or employees at this site due to safety concerns
- f. Open burning shall not be permitted at the site.
- g. Disposal shall occur only in those areas as specified in the August 2006 Updated October 2006 JTD for the facility and as approved by all appropriate regulating agencies.
- h. At no time shall the handling of prohibited wastes found at the site as a result of illegal or other disposal activities be done by persons inadequately equipped or trained for that purpose.
- i. The operator shall not allow the standing water on covered fill areas.
- j. Additional prohibitions may be required upon notice from the CIWMB or the LEA

**SOLID WASTE FACILITY PERMIT**

Facility/Permit Number:

**48-AA-0075****15. The following documents describe and/or restrict the operation of this facility:**

Document	Date	Document	Date
<u>Potrero Hills Landfill Joint Technical Document</u>	August 2006 Updated October 2006	<u>Draft and Final Solano Garbage Company Landfill/Potrero Hills Landfill, Inc. Landfill Combined Environmental Impact Report.</u> Jones & Stokes Associates, State Clearinghouse No. 93033012.	May 1996
<u>Waste Discharge Requirements Order No. 93-072.</u> Regional Water Quality Control Board (RWQCB), San Francisco Bay, adopted 21 July, 1993.	July 1993	<u>Draft and Final Potrero Hills Expansion Project Environmental Impact Report.</u> EDAW, Inc., State Clearinghouse No. 2003032112.	September 2005
Solano County Board of Supervisors, <u>General Plan, Land Use and Circulation Element.</u>	August 1992	Solano County Reclamation Plan No. RP-84-02, approved by the Solano County Planning Commission.	April 1984
<u>Solano County Conditional Use Permit</u> No U-88-33, approved by Solano County Board of Supervisors on June 20, 1996, revised on September 13, 2005.	Sept 13, 2005	<u>Solano County Marsh Development Permit No. 88-09</u> , amended and approved by the Solano County Board of Supervisors on June 20, 1996, revised on September 13, 2005.	Sept 13, 2005
Bay Area Air Quality Management District. <u>Permit to Operate, Plant # 2039</u>	Valid up to December 06, renewed annually	Bay Area Air Quality Management District. <u>Title V Permit</u>	August 2003
<u>Report of Composting Site Information, RCSI</u>	April 1996	<u>Potrero Hills Partial Final Closure Plan and Postclosure Maintenance Plan</u>	July 1996
<u>Potrero Hills Final Closure Plan and Postclosure Maintenance Plan</u>	September 2006	<u>National Pollution Discharge Elimination System General Permit No CAS00001 (WDRS No 97-03-DWQ)</u> Regional Water Quality Control Board (RWQCB), San Francisco Bay	1997

# SOLID WASTE FACILITY PERMIT

Facility/Permit Number:

**48-AA-0075****16. Self Monitoring:**

Results of all self-monitoring programs as described in the Joint Technical Document, will be reported as follows:

Program	Reporting Frequency	Agency Reported To
1) Record of receipt of a Notice of Violation or any other legal enforcement action taken against the facility by any responsible regulatory agency	Within 24 hours of receipt	LEA
2) Report all complaints regarding the facility and the operator's actions taken in response to the complaint. Notify the LEA within one day of the action taken. Copies of all written complaints and each operator generated report for a verbal complaint regarding the Facility, and a summary of the operator's actions taken to resolve each complaint.	Within 24 hours of receipt	LEA
3) Notification of any significant injury to a worker, fire, spill, explosion, vehicle or equipment accident.	Within 24 hours of receipt	LEA **
4) Calculate the types and quantities (in tons) of all materials, including ADC, entering the facility per day (including conversion factors used for any materials not weighed); the average tonnage per week (calculated over a 7 day period).	Monthly *. Available on site at any time	LEA
5) Quantity of solid waste disposed at the site (in tons).	Monthly*. Available on site at any time	LEA **
6) Log nuisances complaints including the time, source (name of company if commercial source) type of feedstock, nuisance condition (i.e. odorous, windblown litter, other); final disposition of load (i.e. disposed if odorous, rejected, etc.)	Monthly. Available on site At any time	LEA
7) Report the number and types of vehicles entering the Facility per day of operation to the landfill and compost facility.	Monthly. Available on site at any time	LEA
8) Log of special or unusual occurrences, i.e. accidents, injury, fires, explosions, hazardous waste incidents, unexpected shutdowns, etc and the operator's response to correct the problem; and litter pickup along Hwy. 12.	Quarterly	LEA **
9) Results of the hazardous waste load checking program, including quantities and types of hazardous wastes, medical wastes or otherwise prohibited wastes found in the waste stream and the disposition of these materials, and landfill gas monitoring program results.	Quarterly	LEA **
10) Daily monitoring of weather data: temperature, wind speed and direction, weather conditions.	Quarterly. Available on site at any time	LEA **
11) An employee Health & Safety Training log with names of attendees, names of trainers, dates of training, course descriptions, etc, shall be maintained and kept current.	Annual report. Available on site at any time	LEA
12) Topographic maps showing all filled areas of the facility. These shall be submitted as amendments to the facility's August 2006 Updated October 2006 JTD – Appendix AB	Annual report	LEA **
13) Load checking training program	Annual report	LEA **
14) Bird control reporting program	Quarterly **	(** = Plus reporting to all other local, state and federal regulatory authority with jurisdiction at the facility as required by said agency.)
15) Waste disposal report, including: quantity of disposed waste for the preceding year (in tons); total volume of waste capacity consumed as a result of waste disposal for the preceding year (in cubic yards); remaining waste disposal capacity for the permitted site (in cubic yards), remaining site life capacity, and the proposed post-closure land use.	Annual report	
	* = Reporting due by the 25th of the month following the end of the reporting period, OR else when due as specified by the controlling regulatory authority, submitted as monthly operations report.)	
16) Submit most current list of personnel responsible for the operation of this facility to the LEA. The list shall include emergency phone numbers, and addresses for the following personnel: Manager, Compliance Officer, Security Guards and/or Duty Supervisors.	Annual report/As needed	LEA
17) Hazardous Business Plans	Biannually/As needed	LEA
18) Hazardous Materials Inventory	Biannually/As needed	LEA

# SOLID WASTE FACILITY PERMIT

Facility/Permit Number:

**48-AA-0075**

## 17. LEA Conditions:

(NOTE: LEA conditions listed here shall be **in addition** to conditions of other documents controlling operation of this facility, and do not take place of, or absolve from, compliance with such regulations or conditions)

### A. Requirements:

1. The operator shall comply with all State Minimum Standards of Solid Waste Handling and Disposal.
2. The operator shall comply with all federal, state and local requirements and enactments including all mitigation and monitoring measures developed in accordance with any certified environmental document filed pursuant to Public Resources Code Section (PRC) 21081.6, and all administrative/enforcement orders of all regulatory agencies with jurisdiction at this facility. Those requirements include but are not limited to the San Francisco Bay Air Management District, California Integrated Waste Management Board, San Francisco Bay Regional Water Quality Control Board, Suisun Fire District, San Francisco Bay Conservation and Development Commission (BCDC) or other appropriate agencies.
3. Waste storage and disposal shall be done in accordance with Title 27 of the California Code of Regulations
4. The operator shall comply with all notices issued by any responsible agency designated by the Lead Agency to monitor the mitigation measures contained in any of the documents referenced within this permit pursuant to PRC Section 21081.6.
5. The operator shall maintain a daily log of special/unusual occurrences as required by Title 27 CCR 20510. This includes but it is not limited to, fires, earth slides, unusual and sudden settlement, injury and property damage accidents, explosions, discharge of hazardous or other waste not permitted, and flooding.
6. In the event of emergencies due to natural disasters such as floods, fires, heat or the presence of communicable diseases such as avian flu, etc., the facility operator shall work closely with the LEA to determine the receipt and accepted amount of impacted waste and the protocol for the handling and disposal of potentially contaminated material including animal carcasses.
7. The operator shall handle sludge in accordance with WDR 93-072 issued by the San Francisco Bay Regional Water Quality Control Board.

### B. Provisions:

1. The facility has a permitted capacity to receive for disposal an average of 3400 tons of solid waste per operating day averaged over a 7-day week (7-day week means any consecutive 7-day period). This limit does not include compostables, wood, scrap metals, sludge with less than 50% moisture, ADC or beneficially used materials and inerts. The maximum amount of solid waste accepted for disposal shall not exceed 4,330 tons per day. The facility shall not receive more than those amounts without first obtaining a revision to this Solid Waste Facilities Permit.
2. The Facility footprint shall consist of 190 acres to support the disposal operations, as described in Drawing 10 of the August 2006 Updated October 2006 JTD. No changes and/or expansions to the approved footprint will be made without the revision of the permit.
3. The operator shall maintain accurate daily records of the weight (tons) of solid waste received and disposed of.
4. The operator shall calculate the types and quantities (in tons) of all materials entering the facility per day (including conversion factors used for any materials not weighed); the average tonnage per week (calculated over any consecutive 7- day period).
5. Additional information concerning the design and operation of this facility shall be furnished on request to the LEA.
6. A copy of this Permit shall be maintained at the facility and be made available at all times to facility and enforcement agency personnel.
7. All recyclable materials diverted from the waste stream shall be handled and stored as described in the August 2006 Updated October 2006 JTD for the site.
8. Storage bins for all recyclable materials, including cardboard, newspaper, scrap metal, glass and aluminum shall not be filled beyond the top of the container or in a manner that will prevent any lid on a container from being closed before being emptied and taken for off-site reuse or recycling.
9. Wood processing operations shall be conducted as described in the August 2006 Updated October 2006 JTD. The LEA reserves the right to require more frequent removal or processing of the wood wastes.
10. The asphalt recycling operation and concrete recovery and processing operations shall be conducted as described in the August 2006 Updated October 2006 JTD. Concrete and asphalt shall be diverted from the waste stream and stockpiled on-site as described in the August 2006 Updated October 2006 JTD. No more than 65,000 tons or 45,000 cubic yards of concrete and asphalt shall be stockpiled on-site at any time.
11. The number and types of vehicles entering the Facility (landfill and compost) per day of operation shall be recorded daily and made available on site to facility and enforcement agency personnel, as described in August 2006 Updated October 2006 JTD Section 5.1.2 – Traffic Reporting.
12. Vehicle batteries shall be collected and stored as described in the August 2006 Updated October 2006 JTD. No more than 120 batteries shall be stored on-site at any time, and pick up and removal for recycling purposes shall occur quarterly, or more frequently as needed.
13. The LEA shall be provided access to inspect the waste load from any vehicle entering the site.

# SOLID WASTE FACILITY PERMIT

Facility/Permit Number:

**48-AA-0075****17. LEA Conditions:****Provisions (Continued)**

14. The operator shall at all times provide adequate staffing to deal effectively and promptly with matters of operations at the site, as determined by the LEA.
15. Facility personnel shall be properly outfitted to perform their specific job duties so as to ensure adequate protection of personal health and safety.
16. The operator shall submit annually the most current list of responsible personnel for the operation of this facility to the LEA. This list shall include emergency phone numbers, home phone numbers, and addresses for the following persons: the Landfill Manager, the Compliance Officer, Site Engineer, Operations Manager, Security Guards and/pr Duty Supervisors. The list shall be updated upon changes.
17. Fencing and landscaping at the site shall be adequately maintained, as reasonably determined by the LEA, to reduce unsightliness.
18. The operator shall properly equip and maintain noise attenuation such as mufflers and spark arrestor devices as necessary on all combustion engines utilized at this facility. All equipment components shall be maintained in good mechanical condition and properly operated to prevent excessive noise levels and circumstances capable of starting accidental fires.
19. Adequate lighting shall be provided for all work done after day light hours at the site. This would include the installation of lights for nighttime tipping, and work done at the drop-off center for recyclables. Lights shall be placed on an irregular pattern, shielded and pointed downward.
20. Waste Load Checking Program: The operator shall comply with the approved Waste Load Checking Program as described in the August 2006 Updated October 2006 JTD. Any change in this program must be approved by the LEA prior to implementation. The following specific conditions apply to the Waste Load Checking Program as described:
  - a) The operator shall comply with Title 27 CCR Section 20870. Hazardous Wastes.
  - b) The minimum number of random waste loads to be inspected weekly at this facility is two (2)
  - c) Those landfill personnel involved in any element of the Waste Load Checking Program, including visual inspections of the public drop-off area or the landfill active working face, shall be properly trained for such purposes. Staff are to be retrained on an annual basis. The training program shall be submitted to the LEA for review and approval.
  - d) Incidents of unlawful disposal of prohibited wastes shall be reported to the LEA quarterly as part of the Hazardous Waste Load Check Program reporting.
  - e) Illegal or hazardous wastes found shall be properly handled and stored for subsequent pickup as described in the Hazardous Waste Load Checking Program.
21. An adequate water supply for dust control and fire suppression must be available at all times during the operations of this facility. The water supply must be acceptable to the local fire jurisdiction and the LEA.
22. At all times there shall be an adequate number and type of vehicles used for the compaction and placement of waste and earthen material at this facility. Information as to the location of backup equipment shall be readily available at the site.
23. A drinking water supply and adequate toilet facilities shall be properly maintained at all times for employee use.
24. The operator shall maintain adequate records of lengths and depths of cuts made in natural terrain where fill is placed, together with the depth to the groundwater table.
25. The operator shall continue to monitor for potential leachate generation. Leachate generated shall be handled as described in the August 2006 Updated October 2006 JTD.
26. Before the use of any new alternative cover material as allowed under Title 27 CCR, Section 20690, the applicant shall submit a project description for the proposed use to the Department of Resource Management (DRM), and the CIWMB for review and approval. Upon successful completion of an approved alternative daily cover pilot project and upon concurrence by the LEA, CIWMB and the RWQCB, the operator may commence with ongoing non-experimental alternative daily cover use.
27. Non-hazardous contaminated soils may be disposed at the facility as allowed by San Francisco Bay Regional Water Quality Control Board, the Bay Area Air Quality Management District and the LEA.
28. Efforts shall be made to control the generation of windblown litter at the source. To control off-site windblown litter, the active face area shall be maintained at the smallest practical size and shall not exceed the dimensions given for peak waste disposal in the August 2006 Updated October 2006 JTD Section 1.3.4.
29. During high wind episodes identified using procedures in the Litter Management Plan of the August Updated October 2006 JTD Appendix X and monitored by the Compliance Officer, the size of the active face area shall be reduced by more frequent placement of cover if the active face is susceptible to wind shear that would cause litter to be blown out from the active face. The disposal area may be further reduced in size as determined by the LEA.
30. Windblown litter must be controlled along the lanes used for pushing wastes by tractors from the unloading area to the active face. The Compliance Officer must designate the techniques to be used to block the wind and capture litter along these lanes. These lanes must be cleared of wastes and the lane area shall receive daily cover when no wastes will be pushed down the lanes within an 8 hour period.

# SOLID WASTE FACILITY PERMIT

Facility/Permit Number:

**48-AA-0075**

31. The operator, as part of the responsibilities under Conditional Use Permit # 75, must check and pick up litter on a weekly basis, or more frequently if deemed necessary by Solano County from the collection area. In addition, the litter shall be picked up three times per week along Highway 12, between Walters Road and Nurse Slough Lane. The operator shall maintain a log of collection dates and times.
32. The operator shall submit copies of all correspondence between representatives of the facility and regulating agencies relating to the design, construction, and operation of the landfill to the LEA.
33. A quarterly methane monitoring program shall be implemented and maintained at the facility in accordance with Title 27 CCR Section 20918 et. seq. Any substantial changes to the program shall be submitted to the DRM for review and approval.
34. The operator shall submit an updated perimeter gas monitoring program to the LEA which contains a description of the revisions to the monitoring wells that will be in conformance with the requirements of Title 27 CCR, Section 20918 et. seq. The submittal will occur within 120 days of the adoption of this permit.
35. The handling and management of sludge shall be conducted as described in the August 2006 Updated October 2006 JTD, and as approved by the Regional Water Quality Control Board WDR No 93-072. The LEA reserves the right to require more restrictions if nuisance conditions arise from the use of sludge at the site.
36. This permit supersedes the solid waste facility permit 48-AA-0075 issued December 1996.
37. During 24 hour operation days, waste material received and placed for disposal shall be covered with approved cover material on top and side of the landfill lift at least once every 24 hours, and the entire working face shall be covered with approved cover material at the close of business on Friday night. During 20 hour operation days, the working face shall be covered with approved cover material at the end of the operation day.

## C. Specifications:

1. The LEA reserves the right to require additional measures as needed to adequately control nuisances resulting from solid waste facility operations.
2. The facility shall not be operated so as to cause public nuisance as determined by the EA.
3. The LEA reserves the right to suspend or modify waste receiving operations when deemed necessary due to an emergent or potential health hazard or the creation of public nuisance.
4. A Compliance Officer (CO) shall be designated as specified in Conditional Use Permit (CUP) No 73 to oversee the facility materials tracking system to prevent or eliminate any nuisance conditions including but not limited to odors, litter, dust, fires, vectors, etc. The CO or designee shall monitor landfilling operations, the receipt of wastes for disposal and recyclable materials, the load checking of waste and inbound feedstock, the processing and the storage of all feedstock and compost, monitor and record wind and weather conditions throughout the hours of operation, noting times of day conditions, changes and modifications to site operations to prevent nuisance conditions, the status of all verbal and written complaints, oversee and be responsible for keeping the EA informed of any new techniques, products used or changes in operation to prevent or eliminate nuisance conditions, and be responsible for providing and maintaining all records required by the EA to help identify any nuisance conditions at the site.
5. This facility shall comply with the Solano County Countywide Integrated Waste Management Plan and any future amendments or revisions to this plan.
6. No expansion of the facility's operation shall commence until it is consistent with all environmental review and all required permits are obtained.
7. The operator shall submit an application for revision to this SWFP for any proposed significant change in design or operation at least 180 days prior to the expected implementation of the design or operation as required by PRC Section 44004(b).
8. Under no circumstances shall the operator make changes in operations without written approval of Solano County LEA. Any significant change as determined by the LEA will require a revision of this permit with concurrence by the CIWMB.
9. All design and operational features in the August 2006 Updated October 2006 JTD shall be considered EA conditions under this section of the permit, unless otherwise contradicted by this permit document or indicated by the EA in a written document provided to the operator.
10. Final Closure and post closure maintenance plans shall be submitted at least 2 years in advance of the projected closing any waste management unit as required by Title 27 CCR Section 21780 (d)(1).
11. When 2 years of site life remains, a final closure plan shall be submitted and approved by the Solano County Planning Commission prior to the issuance of an extension or amendment of this permit.
12. The permit is subject to review by the LEA and may be suspended at any time for sufficient cause, after hearing by the Hearing Panel.